



Docket No. MCP0296

B
Pfw

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Harry S. Sowden, et al.
Appln. No. : 09/966,450 Art Unit: 1615
U. S. Filing Date: September 28, 2001 Examiner: Susan T. Tran
Title : SYSTEMS, METHODS AND APPARATUSES FOR
MANUFACTURING DOSAGE FORMS

I hereby certify that this correspondence is being deposited with the
United States Postal Service as first class mail in an envelope addressed
to: Mail Stop Issue Fee, Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on

August 24, 2004

(Date of Deposit)

DAVID R. CRICHTON

(Name of applicant, assignee, or Registered Representative)


(Signature)

August 24, 2004

(Date of Signature)

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

COMMUNICATION

Dear Sir:

In furtherance of the Notice of Drawing Inconsistency with Specification mailed on August 12, 2004, Applicants were contacted by a representative of the United States Patent and Trademark Office.

During that conversation, amendments were made in the specification to conform with the drawings of record. Applicants believe nothing further is required for responding to the pending notice.

Any further inquiries or questions should be directed to
the undersigned Attorney of Record.

Respectfully submitted,



DAVID R. CRICHTON
Reg. No. 37,300
Attorney for Applicants

Johnson & Johnson
One Johnson & Johnson Plaza
New Brunswick, NJ 08933-7003
(732) 524-6131
DATED: August 24, 2004